

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/7/2022 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : BDD Biketrain Degreaser

Product code : BDD

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Motorbike cleaning and maintenance

1.3. Supplier

GTECHNIQ LTD

Bridge Business Park

Upper Heyford

Northampton, NN7 3FA

United Kingdom

T +44 (0)1604 962 553

uk@gtechniq.com - www.gtechniq.com

1.4. Emergency telephone number

Emergency number : +44 (0)1933 445 260

For Chemical Emergency Call 24hr / day, 7 days / week.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation
Causes serious eye irritation

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P102 - Keep out of reach of children.

P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-Butoxyethanol	CAS-No.: 111-76-2	1 - 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Tetrapotassium pyrophosphate	CAS-No.: 7320-34-5	1 - 10	Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3	1 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Get medical advice/attention. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Bas

symptoms

Symptoms/effects

: Based on available data, the classification criteria are not met.

: Causes skin and eye irritation.

Symptoms/effects after inhalation : May be irritating to the respiratory system.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. Call a doctor.

11/7/2022 (Issue date) EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity in case of fire : Not known.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spillage.

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents). Place in a suitable container for disposal in accordance with the waste regulations (see

Section 13).

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Provide good ventilation in

process area to prevent formation of vapor. Wear personal protective equipment.

11/7/2022 (Issue date) EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Strong acids. Strong bases. Strong oxidizing agents.

Storage area : Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BDD Biketrain Degreaser

No additional information available

2-Butoxyethanol (111-76-2)

USA - ACGIH - Occupational Exposure Limits

Local name	2-Butoxyethanol (EGBE)
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	Eye & URT irr
Regulatory reference	ACGIH 2020

USA - ACGIH - Biological Exposure Indices

Local name	2- BUTOXYETHANOL
BEI (BLV)	200 mg/g Kreatinin Parameter: Butoxyacetic acid (BAA) (with hydrolysis) - Medium: urine - Sampling time: End of shift
Regulatory reference	ACGIH 2020

USA - OSHA - Occupational Exposure Limits

The state of the s		
	Local name	2-Butoxyethanol
	OSHA PEL (TWA) [1]	240 mg/m³
	OSHA PEL (TWA) [2]	50 ppm
	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Tetrapotassium pyrophosphate (7320-34-5)

No additional information available

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. PPE compliant to the recommended EN/ISO or equivalent standards should be selected.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Polyvinylchloride (PVC)	2 (> 30 minutes)	0.5	2 (< 1.5)

Eye protection:

Chemical goggles or safety glasses

Туре	Field of application	Characteristics
Safety glasses	Droplet, mist	clear

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from handling or use, respiratory protection equipment is required. Exposure limits for airborne contaminants must not be exceeded.

Personal protective equipment symbol(s):







Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : White

Odor : characteristic

Odor threshold : No data available

pH : 5 - 8

Melting point : No data available Freezing point : No data available

Boiling point : No data available Flash point : > 100 °C

Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) Non flammable. No data available Vapor pressure Relative vapor density at 20°C No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Toda bolisty (illinabilish)			
2-Butoxyethanol (111-76-2)			
LD50 oral rat	1414 mg/kg		
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LC50 Inhalation - Rat	11 mg/l		
ATE US (oral)	1414 mg/kg body weight		
ATE US (dermal)	1100 mg/kg body weight		
ATE US (vapors)	11 mg/l/4h		
ATE US (dust, mist)	11 mg/l/4h		
Tetrapotassium pyrophosphate (7320-34-5)			
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tetrapotassium pyrophosphate (7320-3	4-5)
LC50 Inhalation - Rat	Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals, Nov, 1984; 81-3 Acute Inhalation Study
ATE US (oral)	4640 mg/kg body weight
Alcohols, C12-14, ethoxylated, sulfates,	sodium salts (68891-38-3)
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Skin corrosion/irritation	: Causes skin irritation. pH: 5 – 8
Serious eye damage/irritation	: Causes serious eye irritation. pH: 5 – 8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
2-Butoxyethanol (111-76-2)	. Not classified
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
2-Butoxyethanol (111-76-2)	
NOAEL (dermal,rat/rabbit,90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Tetrapotassium pyrophosphate (7320-3	4-5)
NOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Alcohols, C12-14, ethoxylated, sulfates,	sodium salts (68891-38-3)
LOAEL (oral,rat,90 days)	25 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (oral,rat,90 days)	> 225 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Causes skin and eye irritation.
Symptoms/effects after inhalation	: May be irritating to the respiratory system.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

2-Butoxyethanol (111-76-2)			
LC50 - Fish [1] 1464 mg/l			
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea		
EC50 - Other aquatic organisms [2]	911 mg/l		
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'		
Tetrapotassium pyrophosphate (7320-34-5)			
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)			
LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1] 7.2 mg/l Test organisms (species): Daphnia magna			
EC50 - Crustacea [2]	7.4 mg/l Test organisms (species): Daphnia magna		
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		

12.2. Persistence and degradability

BDD Biketrain Degreaser		
Persistence and degradability	Biodegradable.	

12.3. Bioaccumulative potential

BDD Biketrain Degreaser		
Bioaccumulative potential	No bioaccumulation.	
2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log Pow) 0.8		
Tetrapotassium pyrophosphate (7320-34-5)		
Partition coefficient n-octanol/water (Log Pow) -10.45		

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

11/7/2022 (Issue date) EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
2-Butoxyethanol	111-76-2	Present	Active	
Tetrapotassium pyrophosphate	7320-34-5	Present	Active	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	Present	Active	XU

15.2. International regulations

CANADA

2-Butoxyethanol (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

Tetrapotassium pyrophosphate (7320-34-5)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
2-Butoxyethanol(111-76-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.