

Multi Purpose Cleaner Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/01/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Multi Purpose Cleaner
Product code	: W2
1.2. Recommended use and restriction	
Use of the substance/mixture	: Car cleaning and maintenance
1.3. Supplier	
GTECHNIQ LTD Bridge Business Park Upper Heyford Northampton, NN7 3FA - United Kingdom T +44 (0)1604 962 553 <u>uk@gtechniq.com</u> - <u>www.gtechniq.com</u>	GTECHNIQ NORTH AMERICA 4780 Hammond Industrial Drive Suite 100 Cumming GA 30041 T (855) 483-2401 infona@gtechniq.com - www.gtechniq.com
1.4. Emergency telephone number	
Emergency number	: +44 (0)1933 445 260 For Chemical Emergency Call 24hr / day, 7 days / week.
SECTION 2: Hazard(s) identification	bn
2.1. Classification of the substance of	
GHS US classification	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Full text of H statements : see section 16	<ul><li>H315 Causes skin irritation</li><li>2 H319 Causes serious eye irritation</li></ul>
2.2. GHS Label elements, including p	recautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS US)	<ul> <li>P102 - Keep out of reach of children.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention.</li> </ul>
2.3. Other hazards which do not resu	It in classification
No additional information available	וו וו טומסאוויסאוויסאוויסאוויסאוויסאוויסאוויסאו
2.4. Unknown acute toxicity (GHS US	))
Not applicable	/

Not applicable

SECTIO	SECTION 3: Composition/Information on ingredients			
3.1.	Substances			
Not appli	cable			
3.2.	Mixtures			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
2-Butoxyethanol	(CAS-No.) 111-76-2	1 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319
disodium metasilicate	(CAS-No.) 6834-92-0	1 – 10	Skin Corr. 1B, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects	: Causes skin and eye irritation.
Symptoms/effects after inhalation	: May be irritating to the respiratory system.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
	, , , , , , , , , , , , , , , , , , , ,
3. Immediate medical attention and spe	cial treatment, it necessary
reat symptomatically.	
ECTION 5: Fire-fighting measures	
1. Suitable (and unsuitable) extinguishing	ng media
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Jnsuitable extinguishing media	: Do not use a heavy water stream.
2. Specific hazards arising from the ch	emical
Fire hazard	: Not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Not known.
Hazardous decomposition products in case of	: Toxic fumes may be released.
fire	
.3. Special protective equipment and pro	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
ECTION 6: Accidental release meas	ures
.1. Personal precautions, protective equ	
General measures	: Avoid contact with skin and eyes.
1.1. For non-emergency personnel	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
1.2. For emergency responders	
	: Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure
Protective equipment	controls/personal protection".

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emer	gency procedures	: Ventilate area.
6.2.	Environmental precautions	
Avoid	elease to the environment.	
6.3.	Methods and material for contain	nent and cleaning up
For c	ontainment	: Absorb spillage.
Meth	ods for cleaning up	: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Wear personal protective equipment.
Hygiene measures	: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use.
Incompatible materials	: Sources of ignition. Direct sunlight. Strong acids. Strong bases. Strong oxidizing agents.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Multi Purpose Cleaner	
No additional information available	
disodium metasilicate (6834-92-0)	
No additional information available	
2-Butoxyethanol (111-76-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
ACGIH TWA (ppm)	20 ppm
Remark (ACGIH)	Eye & URT irr
Regulatory reference	ACGIH 2020
USA - ACGIH - Biological Exposure Indices	
Local name	2- BUTOXYETHANOL
Biological Exposure Indices (BEI)	200 mg/g Kreatinin Parameter: Butoxyacetic acid (BAA) (with hydrolysis) - Medium: urine - Sampling time: End of shift
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Limits	
Local name	2-Butoxyethanol
OSHA PEL (TWA) (mg/m³)	240 mg/m <sup>3</sup>
OSHA PEL (TWA) (ppm)	50 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure adequate ventilation.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. PPE compliant to the recommended EN/ISO or equivalent standards should be selected.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Where exposure through inhalation may occur from handling or use, respiratory protection equipment is required. Exposure limits for airborne contaminants must not be exceeded.

#### Other information:

Do not eat, drink or smoke during use.

.1. Information on basic physical and che	emical properties
Physical state	: Liquid
Color	: Yellow
Odor	: characteristic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Miscible. Water: Solubility in water of component(s) of the mixture : • 2-Butoxyethanol: 1000000 mg/l • water: 1000000 mg/l
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

No additional information available

SECTIC	ON 10: Stability and reactivity
10.1.	Reactivity
Stable at	ambient temperature and under normal conditions of use.
10.2.	Chemical stability
Stable un	der normal conditions.

#### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

broing to Federal Register / Vol. //, No. 58 / Monday	
0.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatu	
0.5. Incompatible materials	
trong acids. Strong bases. Strong oxidizing ag	ents.
0.6. Hazardous decomposition products	3
ume. Carbon monoxide. Carbon dioxide.	
ECTION 11: Toxicological informat	ion
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
disodium metasilicate (6834-92-0) LD50 dermal rat	> 5000 mg//g body weight Animal: rat Quidaling: EDA ODDTS 970 1200 (Aguta Darmal
LD50 dermai rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
2-Butoxyethanol (111-76-2)	
LD50 oral rat	1414 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
	Toxicity)
ATE US (oral)	1414 mg/kg body weight
ATE US (dermal)	435 mg/kg body weight
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	2200 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified : Not classified
Carcinogenicity	
2-Butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
disodium metasilicate (6834-92-0)	
NOAEL (animal/female, F0/P)	> 159 mg/kg body weight Animal: rat, Animal sex: female
STOT-single exposure	Not classified
disodium metasilicate (6834-92-0) STOT-single exposure	May cause respiratory irritation.
5	
STOT-repeated exposure	: Not classified
disodium metasilicate (6834-92-0)	
NOAEL (oral,rat,90 days)	227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
2-Butoxyethanol (111-76-2)	
NOAEL (dermal,rat/rabbit,90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Causes skin and eye irritation.
	: May be irritating to the respiratory system.
Symptoms/effects after inhalation Symptoms/effects after skin contact	<ul> <li>May be irritating to the respiratory system.</li> <li>Causes skin irritation.</li> </ul>

EN (English US)

Safety Data Sheet

#### according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after ingestion

: May cause irritation to the digestive tract.

disodium metasilicate (6834-92-0)	
EC50 Daphnia 1	1700 mg/l Test organisms (species): Daphnia magna
2-Butoxyethanol (111-76-2)	
LC50 fish 1	1464 mg/l
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 other aquatic organisms 1	1550 mg/l waterflea
EC50 other aquatic organisms 2	911 mg/l
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'
2.2. Persistence and degradability	
Multi Purpose Cleaner	
Persistence and degradability	Biodegradable.
2.3. Bioaccumulative potential	
Multi Purpose Cleaner	
Bioaccumulative potential	No bioaccumulation.
2-Butoxyethanol (111-76-2)	
Partition coefficient n-octanol/water (Log Pow)	0.8

No additional information available

#### 12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal consideration 13.1. Disposal methods	าร
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

#### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

**Transportation of Dangerous Goods** 

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
2-Butoxyethanol(111-76-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: None.

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.