

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 07/01/2020 Version: 1.0

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : BTC Bike Tri-Clean

Product code : BTC

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Car cleaning and maintenance

1.3. Supplier

GTECHNIQ LTD GTECHNIQ NORTH AMERICA
Bridge Business Park 4780 Hammond Industrial Drive

Upper Heyford Suite 100

Northampton, NN7 3FA - United Kingdom Cumming GA 30041 T +44 (0)1604 962 553 T (855) 483-2401

<u>uk@gtechniq.com</u> - <u>www.gtechniq.com</u> infona@gtechniq.com - www.gtechniq.com

1.4. Emergency telephone number

Emergency number : +44 (0)1933 445 260

For Chemical Emergency Call 24hr / day, 7 days / week.

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P102 - Keep out of reach of children.

P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

# 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium Laureth Sulfate	(CAS-No.) 9004-82-4	1 – 20	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319

09/02/2020 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Tetrapotassium pyrophosphate	(CAS-No.) 7320-34-5	1 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-Butoxyethanol	(CAS-No.) 111-76-2	1 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of hazard classes and H-statements: see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Get medical advice/attention. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes skin and eye irritation.

Symptoms/effects after inhalation : May be irritating to the respiratory system.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity in case of fire : Not known.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

#### 5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Use water spray or fog for

cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

## 6.1.1. For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

# 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

09/02/2020 EN (English US) 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spillage.

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents). Place in a suitable container for disposal in accordance with the waste regulations

(see Section 13).

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Wear personal protective equipment.

Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight.

Keep container closed when not in use.

Incompatible materials : Sources of ignition. Direct sunlight. Strong acids. Strong bases. Strong oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

BTC Bike Tri-Clean		
lo additional information available		
2-Butoxyethanol (111-76-2)		
USA - ACGIH - Occupational Exposure Limits	3	
Local name	2-Butoxyethanol (EGBE)	
ACGIH TWA (ppm)	20 ppm	
Remark (ACGIH)	Eye & URT irr	
Regulatory reference	ACGIH 2020	
USA - ACGIH - Biological Exposure Indices		
Local name	2- BUTOXYETHANOL	
Biological Exposure Indices (BEI)	200 mg/g Kreatinin Parameter: Butoxyacetic acid (BAA) (with hydrolysis) - Medium: urine - Sampling time: End of shift	
Regulatory reference	ACGIH 2020	
USA - OSHA - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
OSHA PEL (TWA) (mg/m³)	240 mg/m³	
OSHA PEL (TWA) (ppm)	50 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Tetrapotassium pyrophosphate (7320-34-5)		
No additional information available		
Sodium Laureth Sulfate (9004-82-4)		
No additional information available		

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation.

09/02/2020 EN (English US) 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. PPE compliant to the recommended EN/ISO or equivalent standards should be selected.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask. Where exposure through inhalation may occur from handling or use, respiratory protection equipment is required. Exposure limits for airborne contaminants must not be exceeded.

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Milky Liquid. Color Colorless Odor : characteristic Odor threshold : No data available рΗ No data available Melting point : No data available : No data available Freezing point Boiling point : No data available

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available

Solubility : Soluble.

Water: Solubility in water of component(s) of the mixture :

• 2-Butoxyethanol: 1000000 mg/l • Water: 1000000 mg/l • Tetrapotassium pyrophosphate: >

10000 mg/l

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic No data available Viscosity, dynamic **Explosion limits** : No data available : No data available Explosive properties : No data available Oxidizing properties

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

09/02/2020 EN (English US) 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-Butoxyethanol (111-76-2)	
LD50 oral rat	1414 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (oral)	1414 mg/kg body weight
ATE US (dermal)	435 mg/kg body weight
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	2200 mg/l/4h

, , ,	Ŭ
Tetrapotassium pyrophosphate (7320-34-5)	
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	> 1.1 mg/l air Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals, Nov, 1984; 81-3 Acute Inhalation Study
ATE US (oral)	4640 mg/kg body weight

Sodium Laureth Sulfate (9004-82-4)		
	ATE US (oral)	500 mg/kg body weight
	Skin corrosion/irritation :	Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified : Not classified

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

2-Butoxyethanol (111-76-2)

IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

2-Butoxyethanol (111-76-2)	
NOAEL (dermal,rat/rabbit,90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

09/02/2020 EN (English US) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tetrapotassium pyrophosphate (7320-34-5	
NOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Causes skin and eye irritation.
Symptoms/effects after inhalation	: May be irritating to the respiratory system.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

# **SECTION 12: Ecological information**

## **Toxicity**

2-Butoxyethanol (111-76-2)		
LC50 fish 1	1464 mg/l	
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna	
EC50 other aquatic organisms 1	1550 mg/l waterflea	
EC50 other aquatic organisms 2	911 mg/l	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'	
Tetrapotassium pyrophosphate (7320-34-5)		
LC50 fish 1	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
=0=0 B 1 1 1		

Tetrapotassium pyrophosphate (7320-34-5)	
LC50 fish 1	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 other aquatic organisms 1	> 100 mg/l waterflea

#### 12.2. Persistence and degradability

BTC Bike Tri-Clean	
Persistence and degradability	Biodegradable.

#### 12.3. **Bioaccumulative potential**

BTC Bike Tri-Clean		
Bioaccumulative potential	No bioaccumulation.	
2-Butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.8	
Tetrapotassium pyrophosphate (7320-34-5)		
Partition coefficient n-octanol/water (Log Pow)	-10.45	

#### **Mobility in soil**

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### **Disposal methods** 13.1.

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

09/02/2020 EN (English US) 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

#### **Transportation of Dangerous Goods**

Not applicable

## Transport by sea

Not applicable

## Air transport

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

2-Butoxyethanol (111-76-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Tetrapotassium pyrophosphate (7320-34-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Sodium Laureth Sulfate (9004-82-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting	

Rule, (40 CFR 711).

## 15.2. International regulations

## **CANADA**

# 2-Butoxyethanol (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

# Tetrapotassium pyrophosphate (7320-34-5)

Listed on the Canadian DSL (Domestic Substances List)

# **EU-Regulations**

No additional information available

**National regulations** 

No additional information available

## 15.3. US State regulations

Component	State or local regulations
2-Butoxyethanol(111-76-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

09/02/2020 EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

09/02/2020 EN (English US) 8/8